

Safety Data Sheet

MANUFACTURED FOR:



900 N. HWY Y.
PLATTSBURG, MO 64477
1-877-588-8999
WWW.CCLSUPPLY.COM

Email: info@cclsupply.com
Fax : (877)725-6128

Section 1. Chemical Product and Company Identification

Product Name CCL Destain
Product Use Liquid Chlorine Sanitizer
Product Code 3888-7450
Date of Issue 2/15/2017
Supersedes NONE

Emergency Telephone Numbers
CHEMTREC- 1-800-424-9300

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

Section 2. Hazards Identification

Emergency Overview

DANGER



Health Hazards

Skin Corrosion/Irritation	Category 1
Serious eye damage/ eye irritation	Category 1
STOT, single exposure	Category 2

Physical Hazards

Corrosive to Metals	Category 1
Oxidizing Liquid	Category 2

Environmental Hazards

Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Precautionary Statements:

P210	Keep away from heat, sparks, open flames and hot surfaces – no smoking
P220	Keep away from combustible materials
P221	Take any precaution to avoid mixing with combustibles
P234	Keep in original container
P260	Do not breathe in mist/vapors/spray/fumes
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when handling product
P273	Avoid release into environment
P280	Wear protective gloves, clothing and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or physician
P363	Wash all contaminated clothing before reuse
P370+P378	In case of fire: Use water for extinction
P390	Absorb spillage to prevent material damage
P391	Collect spillage. Hazardous to aquatic life
P404	Store in a closed container
P405	Store locked up
P501	Dispose of in accordance with all federal, state and local regulations

Hazard Statements:

H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H371	May cause damage to organs
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Routes of Entry Dermal, Oral, and Inhalation**Acute Effects:**

Eyes	Can cause severe irritation, reddening, and eye damage
Skin	Can cause severe irritation, reddening, and skin damage
Inhalation	Causes severe respiratory tract irritation and pulmonary edema.
Ingestion	Causes pain and inflammation of the mouth, pharynx, esophagus, stomach and erosion of mucous membranes. Swallowing leads to tissue burns, severe abdominal pain, nausea, vomiting, circulatory collapse, confusion, delirium, coma, and collapse. Swallowing large quantities can cause death.

Section 3. Composition/Information on Ingredients

<u>Name of Hazardous Ingredients</u>	<u>CAS Number</u>	<u>% by Weight</u>
Sodium Hypochlorite	7681-52-9	10
Sodium Hydroxide	1310-73-2	<5

Section 4. First Aid Measures

Eye Contact	Flush immediately with clean water for at least 15 minutes. Seek immediate medical attention.
Skin Contact	Remove contaminated clothing and shoes; wash before reuse. Flush immediately with clean water for at least 15 minutes. Get medical attention for burns or irritation.
Inhalation	Remove person to fresh air. Begin CPR if breathing has stopped, and seek medical attention immediately.
Ingestion	Do not induce vomiting. If conscious, give several glasses of water. Do not give baking soda or acid antidotes. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A)
(estimated rating)



Hazardous Combustion Products	N/A
Extinguishing Media	Media applicable to surrounding fire
Unsuitable Extinguishing Media	N/A
Fire Fighting Procedures	Wear protective gear. Use water spray to cool fire-exposed containers.
Unusual Fire and Explosion Hazards	Product decomposes when heated; decomposition products may cause containers to rupture or explode.

Section 6. Accidental Release Measures

Spill Clean Up	Wear alkali-resistant slicker suit and complete protective equipment including goggles, rubber gloves, rubber boots, and a self-contained breathing apparatus in the pressure demand mode or a supplied-air respirator. If the spill or leak is small, a full face piece air-purifying cartridge respirator equipped with acid gases/mists filters may be satisfactory. In any event, always wear eye protection. For small spills mop or wipe up and dispose of in DOT-approved waste containers. For large spills, contain by diking with soil or other non-combustible absorbent material and dispose of according to federal or local regulations. Keep non-neutralized material out of sewers, storm drains, surface waters, and soil.
-----------------------	---

Section 7. Handling and Storage

Handling and Storage

Keep container tightly closed when not in use. Store in vented, closed, clean, non-corrodible containers in cool dry location, away from direct sunlight and not adjacent to chemical, which may react with the product; if spillage occurs. If closed containers become heated, they should be vented to release decomposition products (mainly oxygen under normal decomposition). Do not mix or contaminate with ammonia, hydrocarbon acids, alcohols and ethers. Keep out of the reach of children. Have eyewash accessible to use in handling area. Long storage periods should be avoided as product degrades with age. Containers of this material may be hazardous when emptied; empty containers retain product residues.

Section 8. Exposure Controls/Personal Protection

Exposure Limits

Product Name	OSHA PEL	NIOSH REL	AIHA WEEL	ACGIH TLV
Sodium Hydroxide (1310-73-2)	2mg/m ³	2mg/m ³		2mg/m ³

Engineering Controls Local mechanical exhaust ventilation capable of minimizing emissions at the point of use



Personal Protective Equipment (PPE)

Eyes Chemical splash goggles or face shield

Body Rubber or neoprene gloves; rubber boots and apron as needed to prevent contact

Respiratory Use NIOSH approved respirator as necessary for the vapor and mist concentrations

Section 9. Physical and Chemical Properties

Physical State	Liquid	Explosive Limits	N/A
Color	Clear yellow	Vapor Pressure	6-7.5 KPa @ 50°C
Odor	Strong chlorine bleach odor	Vapor Density	N/A
Odor Threshold	N/A	Relative Density	N/A
pH	12.31-13.05	Solubility	Complete
Freezing Point	N/A	Partition Coefficient	N/A
Boiling Point	219-225°F	Auto-Ignition Temp.	N/A
Flash Point	Not combustible	Decomposition Temp.	N/A
Evaporation Rate	N/A	Viscosity	N/A
Flammability	Non-Flammable	Specific Gravity	1.115-1.211

Section 10. Stability and Reactivity

Stability and Reactivity	Fairly stable in concentrations below 1%, stability decreases with concentration, heat, light exposure, decrease in pH, and contamination with heavy metals.
Incompatibility	Acids, acid salts, ammonia, organics, reducing agents, easily oxidizable materials and metals such as nickel, copper, tin, aluminum, and iron.
Hazardous Polymerization	Will not occur
Hazardous Decomposition Products	HOCl, Chlorine, HCL NaCl, sodium chlorate, and oxygen depending on pH, temperature, and time.
Conditions to Avoid	Extreme heat, open flame, light exposure, reduced alkalinity and contamination.

Section 11. Toxicological Information

Routes of Entry	Dermal, Oral, and Inhalation
Symptoms	Irritation to burns/serious damage
Skin Irritant	Yes
Eye Irritant	Yes
Sensitizers	Not determined
Mutagenicity	No information found
Carcinogenicity	None
Reproductive Toxicity	No information found
Target Organs	May cause damage to organs (category 2)

There is no toxicological data for this product as a whole. Based on relevant ingredients with known acute toxicity, the acute toxicity estimate using the additive formula (ATE) has been determined.

Acute Toxicity

Test	Results	Basis
Dermal	10,0063 mg/kg	ATE determined beyond Category 4
Oral	10,250 mg/kg	ATE determined beyond Category 4
Inhalation	No data	

Section 12. Ecological Information

Environmental Effects This product is very toxic to aquatic life. Dispose of properly (see section 6).

Section 13. Disposal Considerations

Waste Information Dispose of contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Follow all Federal, State and Local regulations. Empty containers can have residues, gases and mists and are subject to proper waste disposal, as above.

Section 14. Transportation Information

Regulatory Information	UN number	Proper Shipping Name	Classes	Packaging Group	Label Code
DOT Classification	UN1791	Hypochlorite Solution	8	PGIII	CORROSIVE

Note: DOT Classification applies to most packaging sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

Section 15. Regulatory Information

US Federal Regulations The following substances are listed as a toxic chemical and are subject to report under the SARA act Section 313: None

The following substances have CERCLA reportable quantity values (in pounds):

Sodium Hydroxide	1310-73-2	1,000
Sodium Hypochlorite	7681-52-9	100

State Regulations None

Section 16. Other Information

Last Revision 8/22/2016

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.