



# SAFETY DATA SHEET

## 1. Identification

**Product Identifier** Oxy Bleach

**Other means of identification**

**Product code** CCL-7260

**Recommended use** Color safe bleach.

**Recommended restrictions** None known.

**Manufacturer/distributor/supplier/importer information**

**Company name** CCL Supply

**Address** 801 Mid America Drive  
Plattsburg, MO 64477

**Telephone** (877) 588-8999

**Emergency phone number** PERS (800) 633-8253  
24 hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

**Physical hazards** Oxidizing liquids Category 2

**Health hazards** Acute toxicity, oral Category 5  
Skin corrosion Category 1  
Serious eye damage Category 1

**Environmental hazards** Not classified.

**OSHA defined hazards** None.

**Label elements**



**Signal word** Danger.

**Hazard statement** May intensify fire; oxidizer.  
May be harmful if swallowed.  
Causes severe skin burns and eye damage.

### Precautionary statement

#### Prevention

Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Call a POISON CENTER/doctor/medical professional if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/medical professional. Specific treatment (see supplemental first aid section on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

#### Storage

Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Hazard(s) not otherwise classified (HNOC)

None.

#### Supplemental information

None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name                            | CAS number | %      |
|--|------------|--------|
| Hydrogen peroxide                        | 7722-84-1  | 10-15  |
| Other components below reportable levels |            | 80-100 |

### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.   |
| <b>Skin contact</b>   | Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. |
| <b>Eye contact</b>  | Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.  |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.   |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Can cause serious eye damage. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.                       |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.                                   |

### 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ). Dry sand.                       |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protecting clothing must be worn in case of fire. |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.                                 |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | This product is miscible in water.<br><br>Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  |

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

**Precautions for safe handling** Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components        | Type | Value |
|-------------------|------|-------|
| Hydrogen Peroxide | PEL  | 1 ppm |

#### US ACGIH Threshold Limit Values

| Components        | Type | Value |
|-------------------|------|-------|
| Hydrogen Peroxide | TWA  | 1 ppm |

### Biological limit values

#### ACGIH Biological Exposure Indices

No data available.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves

##### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

**Physical State** Clear liquid.

|  |                          |
|--|--------------------------|
| <b>Color</b>                                   | Colorless.               |
| <b>Odor</b>                                    | Characteristic.          |
| <b>Odor threshold</b>                          | Not available.           |
| <b>pH</b>                                      | 3-4                      |
| <b>Melting/freezing point</b>                  | 17.6°F (-8°C) estimated. |
| <b>Initial boiling point and boiling range</b> | 215.6°F (102°C).         |
| <b>Flash point</b>                             | Not applicable.          |
| <b>Evaporation rate</b>                        | Not available.           |
| <b>Flammability</b>                            | Not available.           |
| <b>Flammability Limits</b>                     |                          |
| <b>Upper</b>                                   | Not available.           |
| <b>Lower</b>                                   | Not available.           |
| <b>Vapor pressure</b>                          | Not available.           |
| <b>Vapor density</b>                           | Not available.           |
| <b>Specific gravity (water=1)</b>              | 1.04                     |
| <b>Solubility in water</b>                     | Complete.                |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.           |
| <b>Auto-ignition temperature</b>               | Not available.           |
| <b>Decomposition temperature</b>               | Not available.           |
| <b>Viscosity</b>                               | Not available.           |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | This product is stable and non-reactive under normal conditions of use.   |
| <b>Chemical stability</b>                 | Material is stable under normal conditions. Store in a cool dark place.   |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.  |
| <b>Conditions to avoid</b>                | Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight. |
| <b>Incompatible materials</b>             | Metals, organic materials, strong reducing agents, strong bases.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products occur. Oxygen can be liberated at temperatures above ambient.                                       |

## 11. Toxicological information

### Information on likely routes of exposure

|   |  |
|---|--|
| <b>Ingestion</b>  | Do not ingest. May be harmful if swallowed.  |
| <b>Inhalation</b>   | Do not inhale. May irritate the upper respiratory tract.                                       |
| <b>Skin contact</b>   | Can cause severe skin burns.   |
| <b>Eye contact</b>  | Can cause serious eye damage.  |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Severe skin burns, serious eye damage. Can temporarily turn skin white with prolonged contact. |
| <b>Acute toxicity</b>   | May be harmful if swallowed.   |

| Product                  | Route and Species | LD <sub>50</sub>       |
|--------------------------|-------------------|------------------------|
| Oxy Bleach (CAS mixture) |                   |                        |
| <b>Acute</b>             | <i>Oral, rat</i>  | 3,470 mg/kg estimated. |

\*Estimates for product may be based on additional component data not shown

|   |  |
|---|--|
| <b>Skin corrosion/irritation</b>                                      | Can cause severe skin burns.   |
| <b>Serious eye damage/irritation</b>                                  | Can cause serious eye damage.  |
| <b>Respiratory sensitization</b>                                      | Not considered a respiratory sensitizer.   |
| <b>Skin sensitization</b>   | Not considered a skin sensitizer.  |
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>  | Not considered a carcinogen.   |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |  |
|   | Not Listed.  |
| <b>Reproductive toxicity</b>  | No data available.   |
| <b>Specific target organ toxicity – single exposure</b>               | May irritate the upper respiratory tract with prolonged inhalation.  |
| <b>Specific target organ toxicity – repeated exposure</b>             | No data available.   |
| <b>Aspiration hazard</b>  | No data available.   |

## 12. Ecological information

### Ecotoxicity

| Product                  | Species        | Test Results                          |
|--------------------------|----------------|---------------------------------------|
| Oxy Bleach (CAS mixture) |                |                                       |
| <b>Aquatic</b>           |                |                                       |
| Crustacea                | Daphnia magna  | EC <sub>50</sub> = 22 mg/L estimated. |
| Fish                     | Fathead minnow | LD <sub>50</sub> = 68 mg/L estimated. |

\*Estimates for product may be based on additional component data not shown

|                                      |   |
|--------------------------------------|---|
| <b>Persistence and degradability</b> | Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination. |
| <b>Bioaccumulative potential</b>     | Expected to be low, will likely degrade before accumulation can occur.  |
| <b>Mobility in soil</b>              | Will likely be mobile in the environment but will degrade over time.  |
| <b>Other adverse effects</b>         | None.   |

## 13. Disposal considerations

|   |   |
|---|---|
| <b>Disposal instructions</b>              | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                          |
| <b>Local disposal regulations</b>         | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>               | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |
| <b>Waste from residues/unused product</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions). |
| <b>Contaminated packaging</b>             | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.       |

## 14. Transport information

### DOT

|                            |                                      |
|----------------------------|--------------------------------------|
| UN number                  | UN2014                               |
| UN proper shipping name    | Hydrogen peroxide, aqueous solutions |
| Transport hazard class(es) |                                      |
| Class                      | 5.1                                  |
| Subsidiary risk            | -                                    |
| Packaging group            | II                                   |
| Marine pollutant           | No                                   |

**Special precautions for user** Read safety instructions, SDS, and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not intended to be transported in bulk.

### DOT



## 15. Regulatory information

### US federal regulations

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 304 Emergency release notification

Not listed.

#### SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

#### SARA 313 (TRI reporting)

Not listed.

## 16. Other information, including date of preparation or last revision

**Issue date** 2/2/2015

|                             |   |
|-----------------------------|---|
| <b>Revision date</b>        | 2/2/2015  |
| <b>Version #</b>            | 1   |
| <b>HMIS® ratings</b>        | Health: 2<br>Flammability: 0<br>Physical hazard: 2  |
| <b>NFPA ratings</b>         | Health: 2<br>Flammability: 0<br>Instability: 2  |
| <b>Disclaimer</b>           | The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text. |
| <b>Revision information</b> | First issue   |