

CCL Supply LLC

900 N. Hwy Y

Plattsburg, MO 64477 Telephone: 877-588-8999

Fax: 877-725-6128

Safety Data Sheet

**Section 1: Identification** 

**1.1 Product Identifier:** CCL Orange Bobber (Floating Lift Station Degreaser)

Product #1113

**1.2 Substance Name:** Hydrocarbons, Terpene processing, by-

product

**1.3 Use of the Substance:** Solvents and Cleaners

1.4 Suppliers Details: 1.5 Emergency Telephone Numbers

CCL Supply LLC 24 hrs Infotrac 800-535-5053 [within

900 N. Hwy Y continental US] Plattsburg, MO 64477

USA

Phone: 877-588-8999

**Section 2: Hazards Identification** 

2.1 Emergency Overview

2.1 GHSClassification:

Physical Hazards Flammable Liquids (3)

**Health Hazards** Eye Irritation (2A)

Skin Irritation (2) Skin

Sensitizer (1A)

Aspiration Toxicity (1)

**Environmental Hazards** 

Acute Aquatic Toxicity (1)
Chronic Aquatic Toxicity (2)

2.2 GHS Labeling:









2.2.1 Label Elements:

Signal Word: Danger

**Hazard Statements:** 

H226: Flammable liquid and vapour

H304: May be fatal if swallowed and enters airways

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H411: Toxic to aquatic life with long lasting effects

#### **Precautionary Statements:**

P501: Dispose of contents/ container in accordance with all local, regional, national and international regulations.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P280: Wear protective gloves/protective clothing/eye protection/face protection

P337+313: If eye irritation persists get medical advice/attention

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician

P302+352: IF ON SKIN: Wash with soap and water

P331: Do NOT induce vomiting

P333+313: If skin irritation or a rash occurs: Get medical

advice/attention

# **2.3 Other hazards which do not result in classification:** None determined.

## **Section 3: Composition / Information on Ingredients**

Common Name	Chemical Name	CAS Number	BNECS No.	Weight%
Dipentene	Hydrocarbons, Terpene processing, by-product	68956-56-9	273-309-3	98 - 100
Fragrance Package				0-2
ВНТ	4-met hyl-2,6-di-tert- butylpheno l	128-37-0	204-881-4	< 500 ppm

#### **Section 4: First Aid Measures**

Inhalation Remove person to fresh air and keep at rest in a comfortable

position for breathing. See a physician if breathing difficulty

persists.

Eye contact EYE CONTACT: Flush eyes with clean water for 15 minutes. If

irritation persists, seek medical attention.

Skin contact In case of skin contact, wash thoroughly with soap and water.

Ingestion Keep respiratory tract clear. Do Not induce vomiting. Never

give anything by mouth to an unconscious person. Rinse

The information contained in this document is believed to be current and accurate. It is given in good faith and without warranty, expressed or implied, as to its accuracy. Anyone using this product is solely responsible for determining its suitability in any given application.

mouth with water. Get medical attention or contact a poison control center for advice

#### **Section 5: Fire-Fighting Measures**

Flash point Auto-ignition temperature

5.1 Suitable extinguishing

media

Extinguishing media which must not be used

5.2 Hazardous decomposition products

Special protective equipment for fire fighters

5.3 Precautions for fire fighters

Unusual Fire and **Explosions Hazards** 

48 "C (118 °F) (TCC)

Not determined.

Water fog or spray, Foam, Dry Powder, Carbon Dioxide (CO2).

If water must be used, use as a spray only to lower

temperature.

FROM FIRE: Smoke, carbon dioxide and carbon monoxide.

Self-contained positive pressure breathing apparatus and protective clothing should be worn when fighting fires involving

DANGER-FLAMMABLE LIQUID! Vapors may cause flash fires. May cause eye or skin irritation. Harmful or fatal if swallowed. Vapors and spray mist are harmful if inhaled. May produce a

floating fire hazard.

Containers may explode from internal pressure if confined to fire. Cool with water. Keep unnecessary people away. Exercise care when disposing of rags contaminated with the product. Use normal precautions appropriate for oily rags.

#### Section 6: Accidental Release Measures

6.1 Protective measures ELIMINATE ALL SOURCES OF IGNITION. Eliminate all sources

> of ignition in the vicinity of the spill or released vapor. If this material is released into the work area, evacuate the area immediately. Monitor area with combustible gas indicator. Wear appropriate personal protective equipment when cleaning up spills. Eliminate potential sources of ignition. Handling equipment must be bonded and grounded to prevent

sparking.

**6.2 Environmental Precautions** 

This product is a marine pollutant and is very toxic to aquatic organisms. Do not discharge into lakes, streams, ponds or public waters.

6.3 Spill Management Exercise caution. Eliminate potential sources of ignition. Use

spark-proof tools and explosion-proof equipment. Dike and contain spill. Small spills may be absorbed by sand or oilabsorbing materials. Large spills should be collected by pumping into closed containers for recovery or disposal. Spills over water will float and may be collected by oil absorbents

and/or by skimming.

### Section 7: Handling and Storage

#### 7.1 Precautions for safe handling

Wear chemical safety glasses or goggles and chemically resistant gloves. A chemically resistant apron may be used to protect clothing. A respirator may be worn to prevent breathing spray mists or heated fumes. Take precautionary measures against static discharges.

The information contained in this document is believed to be current and accurate. It is given in good faith and without warranty, expressed or implied, as to its accuracy. Anyone using this product is solely responsible for determining its suitability in any given application.

7.2 Conditions for safe

storage

No smoking. Store in original container, preferably in a cool, ventilated, fire-resistant building. Avoid heat, sparks, and open flames. Empty containers may retain product residues (vapor, liquid, or solid) all label precautions must be observed.

#### Section 8: Exposure Controls / Personal Protection

8.1 Exposure limits AIHA WEEL8-hr TWA (limonene) 30 ppm

8.2 Appropriate engineering

controls

Use in a well-ventilatedarea.

Ventilation Mechanical ventilation may be necessary at elevated

temperatures to control odors.

**8.3 PPE** Consistent with good occupational hygiene practices, personal

protective equipment (PPE) should be used in conjunction with other control measures, including engineering controls, ventilation and isolation. See also section 5 (Firefighting measure) of the SOS for specific fire/ chemical PPE

advice.

Respiratory protection A respirator is not normally required. If vapor concentration is

high, use a NIOSH approved organic vapor respirator or a properly fitted, air-purifying or air-fed respirator complying with

an approved standard.

Eye protect ion Wear chemical safety glasses, goggles or face shield. Provide

eye bath near work site.

Skin protection Wear chemically resistant rubber gloves and apron to

minimize exposure.

Personal hygiene measures When using do not eat or drink. Wash hands and other

exposed areas of skin with soap and water after handling the

material.

### Section 9: Physical and Chemical Properties

Appearance Colorless to pale yellow liquid

Odor Pine type

Odor threshold

pH

Not applicable.

Melting point/freezing point

Boiling point (initial)

Flash point

Evaporation rate (BUAC =1)

Not determined.

Not determined.

170 'C (338 °F)

48'C(118°F) (TCC)

Approximately 4

Evaporation rate (BUAC =1)

Flammability (Solid, gas)

Flammable limits(% by

Approximately 4

Not determined.

Not determined.

volume in air)

Vapor pressure approximately 2 mm Hg @20'C

Relative vapor density (Air=1) > 1

Relative density 0.87@25'C

Solubility in water < 0.1

Partition coefficient: n-

Not determined.

octanol/water

Auto-ignition tern perature
Decomposition temperature
Viscosity

Not determined.
Not determined.
Not determined.

The information contained in this document is believed to be current and accurate. It is given in good faith and without warranty, expressed or implied, as to its accuracy. Anyone using this product is solely responsible for determining its suitability in any given application.

### Section 10: Stability and Reactivity

**10.1 Reactivity** Not determined.

**10.2 Chemical stability** Product is stable and not reactive under conditions of normal

use.

**10.3 Hazardous** Hazardous polymerization will not occur.

polymerization

**10.4 Conditions to avoid** Prolonged or excessive heat and/or exposure to air may cause

non-hazardous decomposition and/ or oxidation.

**10.5 Incompatible materials** May react with strong acids, bases, and oxidizing agents.

10.6 Hazardous decomposition products

Incomplete decomposition may produce carbon monoxide.

Ultimate decomposition products are carbon dioxide and water.

#### **Section 11: Toxicological Information**

Target organs Eyes. Skin.

Likely routes of exposure Eye/ skin contact.

Medical conditions aggravated No known conditions.

by overexposure

Symptoms related to Prolonged exposure may cause skin irritation and/or

overexposure sensitization.

#### 11.1Relevant Hazards

11.1 (a) Acute toxicity	Limonene: LDso (rat):> 5000 mg/kg.		
11.1 (b) Dermal	Dipentene: LDso (rat):> 3500 mg/kg		
contact	Limonene: LDso (rabbit):> 5000 mg/kg		
11.1 (c) Eye contact	Dipentene: LDso (rabbit)> 5000 mg/kg  Contact with the undiluted material may cause cause eye irritation.		
11.1 (d) Respiratory or Skin sensitization	Product may contain trace amounts of oxidized material wich are allergenic to sensitive individuals. Avoid repeated or prolonged contact with skin.		
11.1 (e) Germ cell mutagenicity	Not determined for dipentene. Refer to WHO Concise International Chemcial Assessment Document 5 for Limonene. Limonene: mouse lymphoma L5178Y test system, did not induce gene mutations		
	Limonene:AMESTest: Negative		
11.1 (f) Carcinogenicity	No component of the product is listed by IARC, ACGIH, and NTP		
11.1(g) Reproductive toxicity	Not determined.		
11.1 (h) STOT - single exposure	Not determined.		
11.1 (i) STOT repeated exposure	Not determined.		
11.1 (j) Aspiration Hazard	Component categorized as a Cat 1 Aspiration Hazard.		

#### **Section 12: Ecological Information**

**Toxicity** Product is a marine pollutant and is very toxic to aquatic

organisms.

Persistence and

92.7% in 21 days per method CEC L33T82.

degradability
Bio accumulative potential

Mobility in Soil

Other adverse effects

Not determined.

Not determined.

Not determined.

# **Section 13: Disposal Considerations**

Disposal methods This material, if discarded, would be considered a hazardous

waste by EPA regulations 40 CFR 261 due to flammability. Dispose of this material at a local, state or federally approved landfill, incinerator or recovery facility. User must determine proper disposal method and classification when material is

declared a waste.

Safe handling of wastes Refer to Section 8 for information pertaining to personal

protective equipment and exposure controls when handling

this material for disposal.

### **Section 14: Transport Information**

USDOT UN2319, Terpene Hydrocarbons, N.O.S. (Limonene), 3,

PGIII, Marine Pollutant

ICAO/IATA UN2319, Terpene Hydrocarbons, N.O.S. (Limonene), 3,

PGIII, Marine Pollutant

IMO/IMDG UN2319, Terpene Hydrocarbons, N.O.S. (Limonene), 3,

PGIII, Marine Pollutant

Shipping Label Flammable Liquid (Cat 3), Marine Pollutant (Environmental

Cat 1)

EXCEPTIONS Refer to 49 CFR §173.150 & §171.4

USDOT Non-Bulk Packaging Orange Bobber #1113

### **Section 15: Regulatory Information**

#### **Chemical Inventories Status**

USA Compliant Canada Compliant. **European Community** Not determined Australia Not determined Japan Not determined Korea Not determined Philippines Not determined China Not determined

**USA Federal and States Information** 

OSHA - Hazardous by definition of 29 CFR 1910.1200

(Flammability)

The information contained in this document is believed to be current and accurate. It is given in good faith and without warranty, expressed or implied, as to its accuracy. Anyone using this product is solely responsible for determining its suitability in any given application.

SARA 311/312 Hazard Category - Fire Hazard and Immediate (Acute) Health

#### **Section 16: Other Information**

Risk phrases

R10 - Flammable

R36/38 - Irritating to eyes and skin

R51/53 - Dangerous for the environment; Toxic to aquatic organisms, may cause long-term adverse effects on the aquatic environment.

R65- Harmful: may cause lung damage if swallowed. R43 - May cause sensitization by skin contact

Safety phrases

S25 - avoid contact with eyes

S26 - in case of contact with eyes, rinse immediately with plenty of

water and seek medical advice

861 - avoid release to the environment. Refer to special

instruct ions/ safety data sheets S24 - avoid contact with skin S37 - wear suitable gloves

862 - if swallowed, do not induce vomiting: seek medical advice

immediately and show this container or label.

Abbreviations & Acronyms: STOT Specific Target Organ Toxicity

Revision Date: 16 March 2018

Supersedes Date: 16 March 2018

Reason for this revision:

16 March 2018 product creation.

References and Sources for data

USEPA ACToR: Aggregated Computational Toxicology Resource

(http://actor.epa.gov/actor/)

EPA High Production Volume Information System (HPVIS)

(www.epa.gov/hpv/)

NIH TOXNET (http://toxnet.nlm.nih.gov)

WHO Concise International Chemical Assesment Document

(CICAD05.pdf) for Limonene.

CDC NIOSH - National Institute for Occupational Safety and

Health (www .cdc.gov/ niosh)

RTECS- Register of Toxic Effects of Chemical Substances