SAFETY DATA SHEET



QUEL NOCHLOR FOAM

Section 1. Identification

GHS product identifier

: QUEL NOCHLOR FOAM

Product code

: 12393330, 12393470, 12393100

SDS#

: DUB00885

Other means of

: Not available.

identification

SECURE OF PROPERTY

Product type

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

: Alkaline Cleaner

Supplier/Manufacturer

: DuBois Chemicals, Inc. 3630 E. Kemper Road

Cincinnati, Ohio 45241

Phone: 1-800-438-2647

DuBois Chemicals Canada, Inc. 1155 North Service Road West

Unit 6

Oakville, Ontario, L6M 3E3 Canada

Phone: 1-866-861-3603

Emergency telephone

number

: 1-866-923-4919 (US and Canada)

01-651-523-0314 (Int'l and Mexico)

Section 2. Hazards identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the

ibstance or mixture

: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms



Signal word

: Warning

Hazard statements

: Causes serious eye irritation.

Precautionary statements

Prevention

: Wear eye/face protection. Wash hands thoroughly after handling.

Response

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage

: Not applicable.

Disposal

: Not applicable.

Hazards not otherwise

: None known.

classified

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
(2-methoxymethylethoxy)propanol sodium dodecylbenzenesulfonate hidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)-(2-carboxyethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, disodium salts	1 - 5 1 - 5 1 - 5	34590-94-8 25155-30-0 68604-71-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eve contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

Skin contact

: Causes serious eye irritation.

Inhalation

No known significant effects or critical hazards.No known significant effects or critical hazards.

Ingestion

: Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact

: Adverse symptoms may include the following:

pain or irritation watering

redness

Inhalation

Ingestion

No specific data.No specific data.

Skin contact

: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

: No specific treatment.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

xtinguishing media

Suitable extinguishing media

ng

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

ethods for cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	CAS#	ACGIH	OSHA	Mexico
(2-methoxymethylethoxy) propanol	34590-94-8	TWA: 100 ppm 8 hours. TWA: 606 mg/m³ 8 hours. STEL: 150 ppm 15 minutes. STEL: 909 mg/m³ 15 minutes.	TWA: 100 ppm 8 hours. TWA: 600 mg/m³ 8 hours.	LMPE-PPT: 100 ppm 8 hours. LMPE-PPT: 60 mg/m³ 8 hours. LMPE-CT: 900 mg/m³ 15 minutes. LMPE-CT: 150 ppm 15 minutes.
			eshbolshiko lataga	Vii mily #
	s tinn tremqiuj zem evifece n	Swaretowy eleminoroge has selected and	ow blunds the telephayer. Divide (ACCA) automoras	o viens, sew

Engineering measures

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or airfed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms)



Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.
Color : Blue.

Odor : Solvent. [Slight]
Odor threshold : Not available.

рн

Date of issue/Date of revision

: 4/20/2015.

: 11

Date of previous issue

: No previous validation.

Version : 1

4/8

QUEL NOCHLOR FOAM

Section 9. Physical and chemical properties

Welting point : Not available. oiling point Not available.

Flash point Closed cup: >93.333°C (>200°F) [Pensky-Martens (ASTM D93)]

Burning time Not applicable. Burning rate Not applicable. **Evaporation rate** Not available. Flammability (solid, gas) : Not available. Not available.

Lower and upper explosive

(flammable) limits

Vapor pressure Not available. Vapor density Not available.

Relative density : 1.03

Solubility Easily soluble in the following materials: cold water and hot water.

Solubility in water Not available. Partition coefficient: n-: Not available.

octanol/water

Auto-ignition temperature

: Not available. Decomposition temperature : Not available. Viscosity : Not available.

Elemental Phosphorus : 0%

VOC content : 3.7 % [CARB - Consumer products]

ection 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials Extremely reactive or incompatible with the following materials; oxidizing materials.

reducing materials and acids.

Hazardous decomposition products

Storage

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination

Section 11. Toxicological information

Information on toxicological effects

Information on the likely routes of exposure

Dermal contact. Eye contact. Inhalation.

Potential acute health effects

ye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards.

Ingestion : Irritating to mouth, throat and stomach.

: 4/20/2015. Date of issue/Date of revision Date of previous issue : No previous validation. Version :1 5/8

Section 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eve contact :

: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation Skin contact : No specific data.: No specific data.

Ingestion

: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Potential chronic health effects

Not available.

General

: No known significant effects or critical hazards.

Carcinogenicity Mutagenicity No known significant effects or critical hazards.No known significant effects or critical hazards.

Teratogenicity

Developmental effects

No known significant effects or critical hazards.No known significant effects or critical hazards.

Fertility effects

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	13074.6 mg/kg

Section 12. Ecological information

Ecotoxicity

: Not available.

Aquatic ecotoxicity

Not available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory information

U.S. Federal regulations

: TSCA 12(b) one-time export: (2-methoxymethylethoxy)propanol

TSCA 12(b) annual export notification: No products were found.

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate

CERCLA: Hazardous substances.: sodium dodecylbenzenesulfonate: 1000 lbs. (454

kg);

EPA Registration Number

: Not available.

Clean Air Act Section 112

: Not listed

(b) Hazardous Air Pollutants (HAPs)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification

: Immediate (acute) health hazard

State regulations

Massachusetts

: The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER;

SODIUM DODECYLBENZENE SULFONATE

New York

: The following components are listed: Sodium dodecylbenzene sulfonate;

Dodecylbenzene sulfonate

New Jersey

: The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER;

(2-METHOXYMETHYLETHOXY) PROPANOL; SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT

Pennsylvania

: The following components are listed: PROPANOL, (2-METHOXYMETHYLETHOXY)-:

BENZENESULFONIC ACID, DODECYL-, SODIUM SALT

California Prop. 65

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
methanol	No.	Yes.	No.	No.

Canada

Canadian lists

Canadian NPRI

: None of the components are listed.

Canada inventory

All components are listed or exempted.

Canadian PCP/DIN Number : Not available.

International regulations

Section 15. Regulatory information

International lists

: Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

Section 16. Other information

History

Date of printing

: 4/20/2015.

Date of issue/Date of

: 4/20/2015.

revision

Date of previous issue

: No previous validation.

Version

: 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.